

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF KENTUCKY RSA #2, INC. )  
FOR A CERTIFICATE OF PUBLIC CONVENIENCE )  
AND NECESSITY TO CONSTRUCT A CELL SITE )  
LOCATED OFF U.S. HIGHWAY 93 ON POPLAR )  
CREEK ROAD, NEAR KUTTAWA, LYON COUNTY, )  
KENTUCKY (KENTUCKY LAKE SITE) )

CASE NO. 95-146

O R D E R

On June 2, 1995, the Commission issued an Order in this case which included an incorrect cellular tower description. The Commission finds that the Order should be amended to reflect the proper information. The accurate information should describe the tower as a guyed tower, not to exceed 300 feet in height, to be located off Poplar Creek Road, approximately one mile north and west of Kuttawa, Lyon County, Kentucky.

IT IS THEREFORE ORDERED, to be entered nunc pro tunc, that the Commission's Order be and it hereby is amended for the purpose of correcting the cellular tower description.

Done at Frankfort, Kentucky, this 9th day of August, 1995.

PUBLIC SERVICE COMMISSION

  
Chairman

  
Vice Chairman

  
Commissioner

ATTEST:

  
Executive Director